

# Certificate of Conformity

This is to Certify KLC "Generation II" H3.2 Exterior Cladding Systems

## Product Description

KLC "Generation II" H3.2 Exterior Cladding Systems components are finger jointed timber products treated to H3.2 and consist of the following products:

Horizontal Bevelback - 230 x 18, 215 x 18, 187 x 18, 180 x 18, 142 x 18, 135 x 18, 142 x 21mm  
Horizontal Rebated Bevelback - 142 x 18, 135 x 18mm  
Horizontal Splay Cut - 187 x 18 (rebated), 142 x 18mm (x2, 1 rebated)  
Horizontal Rusticated - 230 x 18, 215 x 18, 180 x 18, 135 x 18mm  
Vertical Shiplap - 180 x 18, 135 x 18mm (various profiles)  
Vertical Board and Batten - 180 x 18mm board, 65 x 18mm batten  
Fascia in 135, 180, 230, 280 x 18mm and 135, 180, 230, 280 x 29mm  
Vertical Cavity battens in 45 x 20mm  
Box Corners in 85 x 18 and 98 x 18mm (internal and external).  
D4S 40, 65, 90, 115, 135, 180, 230, 280 x 18mm  
Scriber 45 x 18, 65 x 18mm

## Complies with the Building Code of New Zealand:

When used in accordance with the conditions and limitations of this certificate, KLC "Generation II" H3.2 Exterior Cladding Systems will comply with the following NZBC Clauses,  
B1 Structure - B1.3.1, B1.3.2, B1.3.3 (a), (c), (f), (h), (j).  
B2 Durability - B2.3.1 (b).  
E2 External Moisture - E2.3.2, E2.3.5.  
F2 Hazardous Building Material - F2.3.1.

## Subject to the following conditions and limitations:

1. The KLC "Generation II" Weatherboard & Fascia must be installed or supervised by a Licensed Building Practitioner in accordance with the relevant Generation II Installation and Technical Guides V1 01/03/2018.
2. Vertical Shiplap profiles certified for risk score 0 - 6 in a direct fix situation and for risk score 7 - 20 over a cavity situation.
3. Vertical Board and Batten are certified for risk score 0 - 12 in a direct fix situation and for risk score 13 - 20 over a cavity situation.
4. Weatherboards can only be used on timber framed buildings in residential or light commercial constructions within the scope of NZS 3604:2011.
5. Designed for use for residential and commercial use for new builds, renovations and extensions.
6. The products must be painted using a light colour (above the recommended 45LRV) and maintained as per the KLC painting and maintenance recommendations guide.



**CODEMARK**<sup>TM</sup>

## Product Use and Scope

KLC "Generation II" H3.2 Exterior Cladding Systems are designed for use as cladding and finishing systems for residential and small commercial buildings that fall within the scope of NZS3604:2011.

## Certificate Holder

KLC Limited  
Cnr Middle Road & Kennedy Street  
Kaingaroa Village  
Ph: 07 366 9900  
Web: [www.generation2.build](http://www.generation2.build)



**JAS-ANZ CodeMark Certification Body**  
AsureQuality, 11 Hull Road  
Mt Maunganui  
New Zealand  
Tel. 0508 00 11 22  
[www.asurequality.com](http://www.asurequality.com)

[www.jas-anz.org/register](http://www.jas-anz.org/register)

John McKay, Chief Executive Officer, AsureQuality Limited

**Date of Issue**

4<sup>th</sup> February 2016

**Certificate Number**

**AQ-020216-CMNZ**  
(Rev 1 - Mar 2018)

KLC Limited will notify AsureQuality Ltd in accordance with Regulation 15 of the Building (Product Certification Regulations 2008)

"This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004.

The MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product.

The MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.

This certificate may only be reproduced in its entirety."